ANALYTICA CHIMICA ACTA, VOL. 270 (1992)

AUTHOR INDEX

Adeloju, S.B.O.
— and Pablo, F.
Determination of ultra-trace concentrations of tin by adsorptive cathodic stripping voltammetry on a glassy carbon mercury film electrode 143
Aguilar Gallardo, A., see García Sánchez, F. 45

Baffi, F.
—, Cardinale, A.M. and Bruzzone, R.
Preconcentration of chromium, copper and manganese from sea water on pretreated solid materials for determination by atomic absorption spectrometry 79
Barakat, S.A., see Burns, D.T. 213
Barceló, D., see Marko-Varga, G. 63
Bauer, W.F., see Johnson, D.A. 223
Bosch-Reig, F., see Campíns-Falcó, P. 253
Bruzzone, R., see Baffi, F. 79
Burns, D.T.
—, Barakat, S.A., Harriott, M. and El-Shahawi, M.S.
Flow-injection extraction–spectrophotometric determination of manganese(VII) with benzyltributylammonium cations 213

Cabalín, L.M.
—, Laserna, J.J. and Rupérez, A.
Solid surface room-temperature phosphorescence analysis of banned substances in sport 239
Campíns-Falcó, P.
—, Bosch-Reig, F. and Verdú-Andrés, J.
Evaluation and elimination of the "blank bias error" using the H-point standard addition method. Application to spectrophotometric determinations using absorbent blank 253
—, Herráez-Hernández, R. and Sevillano-Cabeza, A.
Sensitive determination of ethacrynic acid in urine samples by reversed-phase liquid chromatography with ultraviolet detection using solid-phase extraction techniques for sample clean-up 39
Cardinale, A.M., see Baffi, F. 79
Casella, I.G., see Cataldi, T.R.I. 161
Cataldi, T.R.I.
—, Casella, I.G., Desimoni, E. and Rotunno, T.
Cobalt-based glassy carbon chemically modified electrode for constant-potential amperometric detection of carbohydrates in flow-injection analysis and liquid chromatography 161
Chan, C.C.Y.
— and Sadana, R.S.
Determination of arsenic and selenium in environmental samples by flow-injection hydride generation atomic absorption spectrometry 231
Chang, H.-L., see Palasota, J.A. 101
Chen, C.-S., see Jen, J.-F. 55
Chen, Y., see Zhu, W. 173

Deming, S.N., see Palasota, J.A. 101
Deming, S.N., see Palasota, J.M. 13
Desimoni, E., see Cataldi, T.R.I. 161

El-Shahawi, M.S., see Burns, D.T. 213

Fachinger, C., see Naffrechoux, E. 187
Fan, Z.-H.
—, Zhang, L.-X. and Zhou, H.-D.
Sequential determination of molybdenum and tungsten in silicate rocks by a spectrophotometric method 267
Fukushima, M.
—, Hasebe, K. and Taga, M.
Effect of sodium dodecyl sulphate on the measurement of labile copper(II) species by anodic stripping voltammetry in the presence of humic acid 153

Gandhi, M.N.
— and Khopkar, S.M.
Liquid–liquid extraction separation of thallium(I) with cryptand 222 and erythrosin 87
Gao, Y., see Qi, W. 205
García Sánchez, F.
— and Aguilar Gallardo, A.
Liquid chromatographic and spectrofluorimetric determination of aspartame and glutamate in foodstuffs following fluorescamine fluorigenic labelling 45

Harriott, M., see Burns, D.T. 213
Hasebe, K., see Fukushima, M. 153
Herráez-Hernández, R., see Campíns-Falcó, P. 39

Ishii, D., see Sagara, F. 217

Jen, J.-F.
— and Chen, C.-S.
Determination of metal ions as EDTA complexes by reversed-phase ion-pair liquid chromatography 55
Johnson, D.A.
—, Siemer, D.D. and Bauer, W.F.

Determination of nanogram levels of boron in milligram-sized tissue samples by inductively coupled plasma–atomic emission spectroscopy 223
Jordan, J.M.
— and Pardue, H.L.
Experimental evaluation of theoretical response equations for an unsegmented flow system with a well-stirred mixing chamber 195

Khopkar, S.M., see Gandhi, M.N. 87
Kuno, Y.
—, Sato, S. and Masui, J.
On-line determination of iodine in nuclear fuel reprocessing off-gas streams by a combination of laser-induced fluorimetry and laser photoacoustic spectroscopy 181

Laserna, J.J., see Cabalín, L.M. 239
Leonidou, I., see Palasota, J.A. 101
Lindner, W., see Vandenbosch, C. 1

Marek, M., see Vrbová, E. 131
Marko-Varga, G.
— and Barceló, D.
Evaluation of gel permeation chromatographic techniques and diode-array UV detection for the characterization of biotechnological fermentation substrates and broths 63
Massart, D.L., see Vandenbosch, C. 1
Masui, J., see Kuno, Y. 181
Morsink, J.B.W., see Van den Bogaert, B. 107, 115

Naffrechoux, E.
—, Fachinger, C. and Suptil, J.
Diode-array ultraviolet detector for continuous monitoring of water quality 187
Nakajima, K.
—, Ohta, K. and Takada, T.
Effect of cavity surface on S_2 emission in molecular emission cavity analysis 247
Nakamura, S.
— and Suzuki, N.
Synergic extraction of tervalent lanthanoids with 2-thenoyltrifluoroacetone and ethylenediamine as a neutral bidentate ligand 95

Ohta, K., see Nakajima, K. 247

Pablo, F., see Adeloju, S.B.O. 143
Palasota, J.A.
—, Leonidou, I., Palasota, J.M., Chang, H.-L. and Deming, S.N.
Sequential simplex optimization in a constrained simplex mixture space in liquid chromatography 101
Palasota, J.M.
— and Deming, S.N.
Mixture designs applied to the study of the liquid chromatographic separation of L-phenylalanine, L-tyrosine and L-tryptophan 13
Palasota, J.M., see Palasota, J.A. 101
Pardue, H.L., see Jordan, J.M. 195

Qi, W.
—, Wu, X., Zhou, C., Wu, H. and Gao, Y.
Flow-injection on-line fibre column separation and preconcentration system for efficient determination of trace gold in ores and metallurgical samples by flame atomic absorption spectrometry 205

Ralys, E., see Vrbová, E. 131
Rotunno, T., see Cataldi, T.R.I. 161
Rupérez, A., see Cabalín, L.M. 239

Sadana, R.S., see Chan, C.C.Y. 231
Sagara, F.
—, Tsuji, T., Yoshida, I., Ishii, D. and Ueno, K.
Determination of chloride ion concentration in natural and waste waters by flow-injection analysis with a silver chloranilate reaction column 217
Sato, S., see Kuno, Y. 181
Sevillano-Cabeza, A., see Campíns-Falcó, P. 39
Siemer, D.D., see Johnson, D.A. 223
Smit, H.C., see Van den Bogaert, B. 107, 115
Suptil, J., see Naffrechoux, E. 187
Suzuki, N., see Nakamura, S. 95

Taga, M., see Fukushima, M. 153
Takada, T., see Nakajima, K. 247
Tian, B., see Wang, J. 137
Tsuji, T., see Sagara, F. 217

Ueno, K., see Sagara, F. 217

Van den Bogaert, B.
—, Morsink, J.B.W. and Smit, H.C.
Expert system for the determination of the analytical strategy in a laboratory for elemental analysis. Part 1. Project definition 107
—, Morsink, J.B.W. and Smit, H.C.
Expert system for the determination of the analytical strategy in a laboratory for elemental analysis. Part 2. Development of an x-ray fluorescence subsystem 115
Vandenbosch, C.
—, Massart, D.L. and Lindner, W.
Evaluation of the enantioselectivity of an ovomucoid and a cellulase chiral stationary phase towards a set of β-blocking agents 1
Verdú-Andrés, J., see Campíns-Falcó, P. 253
Vrbová, E.
—, Marek, M. and Ralys, E.
Biosensor for the determination of L-lysine 131

Wang, J.
— and Tian, B.
Trace measurements of beryllium by adsorptive stripping voltammetry and potentiometry 137

Wu, H., see Qi, W. 205
Wu, X., see Qi, W. 205

Yoshida, I., see Sagara, F. 217

Zhang, L.-X., see Fan, Z.-H. 267
Zhou, C., see Qi, W. 205
Zhou, H.-D., see Fan, Z.-H. 267
Zhu, W.
— and Chen, Y.
Differential-pulse polarographic study of nicotinamide adenine dinucleotide at a dropping mercury electrode 173

Erratum

Anal. Chim. Acta, 269 (1992) 59–64
p. 61, 12th line of the text in the right column: "bromide (DTAB)" should be deleted.